

CHARLES COUNTY VOLUNTEER FIREMEN'S ASSOCIATION

MINIMUM STANDARDS FOR COMPANY CARS & UTILITY VEHICLES

COMPANY: _____ APPARATUS ID: _____

YEAR: _____ MAKE: _____ MODEL: _____

- _____ 1. Must be registered with Maryland Department of Transportation-Motor Vehicle Administration as an Emergency Vehicle.
- _____ 2. Two-way radio with all Charles County Fire/EMS frequencies in good operating condition
- _____ 3. Safety belts installed in crew cab for each position
- _____ 4. Battery(s) on apparatus must be fully charged at all times; terminals clean, tight and in good condition
- _____ 5. Wiring must be in good condition
- _____ 6. Warning lights visible 360 degrees
- _____ 7. Siren with controls accessible to both driver and officer
- _____ 8. One (1) 10 lb. dry chemical fire extinguisher to be fully charged
- _____ 9. One (1) Portable hand lights to be capable of charging on a 12v system
- _____ 10. Six (6) road flares or reflective triangles
- _____ 11. One (1) first aid kit (*complete First Aid Kit Standard and attach*)
- _____ 12. One (1) current D.O.T. Emergency Response Guidebook
- _____ 13. One (1) Charles County Road atlas/map book
- _____ 14. One (1) PAT tag collector ring w/ Unit ID
- _____ 15. One (1) Portable Radio w/ Charger
- _____ 16. One (1) ANSI approved reflective vest
- _____ 17. Annual DOT Inspection if over 10,000 lbs. GVWR Date: _____

APPROVALS:

Standards Committee: 06/25/2012

CCVFA Chiefs: 07/16/2012

CCVFA: 09/10/2012

CHARLES COUNTY VOLUNTEER FIREMEN'S ASSOCIATION

MINIMUM STANDARDS FOR COMPANY CARS & UTILITY VEHICLES

____ 18. Upon "*purchase or major modification*" a Gross Vehicle Weight (GVW) test shall be performed by utilizing the method of weighing each axle individually, and then a GVW test with accompanying proof of completion.

GVW Rating _____ Front Axle Rating _____ Rear Axle Rating _____

Actual Totals-- GVW _____ *Front Axle* _____ *Rear Axle* _____

COMPANY MEMBER/RANK: _____

INSPECTED BY: _____
(Standards Committee Member)

DATE OF INSPECTION: _____ APPROVED _____

DISAPPROVED _____

EXCEPTIONS REQUESTED: